

**Geoman**  
A NATURAL WARMTH



*Wood, Multi-fuel, Gas and Electric stoves*



## *A Natural Warmth*

From its humble origins over 25 years ago on a farm near Dartmoor, renowned for its cold winters, Yeoman has grown to become one of the UK's leading stove manufacturers. Today, we offer not only a wide selection of traditionally-styled woodburning, multi-fuel, gas and electric stoves, but also high-output boiler stoves through to contemporary stoves, with each model providing superb value for money.

# The Yeoman Range...

## Traditional Wood & Multi-Fuel Stoves.....6 - 13

A comprehensive collection of classically designed stoves, incorporating the unmistakable atmosphere of a real log or smokeless fuelled fire. From the compact Exmoor model to the grander County, that true rural ambiance can be perfectly attained in rooms of all sizes.



## CL Wood & Multi-fuel Stoves ..... 14 - 23

For those with a more contemporary taste, the eye-catching CL range with clean geometric designs, brings woodburning and multi-fuel stoves right into the heart of 21st century living.



## Traditional & CL High-Output Boiler Stoves .....24 - 29

Complete home heating never looked so good. The latest additions to the Yeoman range, these five exceptionally efficient stoves not only heat the room they are in, but can also provide enough hot water to supply up to 19 radiators throughout the rest of the house. Traditional & Contemporary styles with freestanding and inset models.



## Double-Sided Stoves .....30 - 31

Truly the ultimate centre-piece, these exquisite stoves bring two rooms together with your choice of four timeless designs in both solid fuel and gas options.



## Traditional Gas Stoves .....32 - 43

When you want to combine the allure of a log or coal fire with the appeal of an instantly controllable source of heat, Yeoman offers a range of expertly crafted traditionally styled gas stoves that can offer you instant warmth at the flick of a switch. What's more, opt for a programmable remote control and your stove can be set to automatically turn on or off at times that suit your lifestyle!



## CL Gas Stoves .....44 - 47

With its subtle curving form, the CL Gas stoves offer a stylish contemporary look with the inviting atmosphere of a log fire. Also benefitting from the latest remote control system that allows complete control from the comfort of your sofa.



## Electric Stoves .....48 - 51

Incorporating our unique VeriFlame™ technology, the Yeoman Electric models boast a choice of glow & flame effects, individually hand-painted logs and full remote control. With superior realism and up to 2kW of heat output, a Yeoman Electric stove will always be a pleasure to come home to.



# Wood, Multi-fuel, Gas and Electric Stoves

County with High Canopy

## Wood & Multi-fuel Stoves

All Yeoman stoves are designed to burn wood and smokeless fuels and have been independently tested to exacting standards for both heating efficiency and emissions. The Exmoor, Exe, Devon, CL3 and CL5 models are also approved for the burning of wood in Smoke Control areas when fitted with a smoke control kit.

**Wood** – Wood is the better fuel in environmental terms being carbon neutral, as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give twice the output of freshly felled timber but help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have around twice the calorific value of softwoods.



**Solid fuels** – anthracite and manufactured smokeless fuels can be burnt with the addition of a multi-fuel kit. Choose from either the economic Static Kit on the County and Double-Sided models or, for optimum performance, the external Riddling Kit on Exmoor, Exe, Devon and CL stoves, including high output boiler stoves. Please note, however, that petroleum based fuels must never be used on your stove.

## Boiler Stoves

Several Yeoman Woodburning/Multi-fuel stoves are designed to be fitted with optional boiler systems and details of these can be found on appropriate pages. Additionally, Yeoman offer a selection of High-Output Boiler models that come with the boiler built in. Please see pages 24 - 29 for details.

## Gas Stoves

All Yeoman gas stoves are available with natural gas or LPG and, depending on model, feature a highly realistic coal or log effect fire. Most of these highly efficient stoves are available



as manual operation and have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic & timer controls. The new CL Gas stoves are available with a choice of Yeoman's new standard or thermostatic remote control which is a fully programmable sequential remote that allows full control of your stove from ignition to extinguish.

## Electric Stoves


A Yeoman can be as easy to install as plugging in and switching on! Featuring our unique VeriFlame™ technology with low energy LED illumination and hand painted fuel bed. With the heater discreetly located underneath, the remote control allows you to adjust the heat between off, 1kW and 2kW in addition to the VeriFlame™ effects.



# Your Yeoman, Your Way...

## Styling options








The look of your stove is very important. That is why Yeoman offers you the opportunity to personalise our stoves with a variety of styling options. According to model, these include flat top and high or low canopies, panoramic single doors, double doors with removable window crosses, brass handles, decorative cast top plates and plain or Tudor Rose air spinners.



## Colour options

Colour is another option, with a choice of 4 paint finishes available for most stoves: Metallic Blue, Metallic Brown, Matt Black or Metallic Green. CL Stoves are finished in Jet Black Metallic<sup>†</sup>.



Key to symbols			Radiator Capabilities
	Flat Top		Maximum Heat Output
	Low Canopy		Boiler Output *
	High Canopy		Vent not normally required **

*\*Information for boiler options is a guide only. Seek advice and a site survey from a qualified heating engineer before ordering.*

*\*\*All fires shown with this symbol boast the advantage of not normally requiring an air vent<sup>‡</sup> where the air permeability is greater than 5.0m<sup>3</sup>/hr/m<sup>2</sup>. Ventilation normally required is 550mm<sup>2</sup>. Please discuss in full with your local retailer. <sup>‡</sup>Requirements in the Republic of Ireland are different.*

## Yeoman Extended Warranty

Your Yeoman Expert Retailer will provide you with a Five Year Extended Warranty for your new gas or solid fuel stove and a Two Year Extended Warranty for your new electric stove. Please note, these warranties exclude certain consumable parts.

Stoves purchased outside of Yeoman's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at [www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk).



## Expert Retailer Network

To help you select the right stove for your home, you will find our useful reference symbols throughout the brochure. However, your Yeoman retailer will be pleased to provide any further information and advice you may require. We take great care to ensure that our stoves & fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

They will also be able to advise on or assist with the installation process as well as help provide any after sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Furthermore, Yeoman fires and stoves purchased from within our Expert Retailer Network will have the additional benefit of a greatly extended warranty period, subject to terms and conditions. Full details can be found at [www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk).





**Exmoor** - neat and compact for the smaller room

# Exmoor

## Wood and Multi-fuel Stoves



Particularly suited to smaller rooms, the classically styled Exmoor is designed to fit neatly into a traditional 'builder's opening'. The gently curved front and sides give this model a solid, well proportioned appearance

and one which can enhance both traditional and contemporary settings. A curved glass window also provides an excellent view of the flames.




- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (78% with wood)
- Yeoman Airwash System – to give a clearer view of the flames
- Optional brass handle
- Optional plain air spinners
- Top or rear flue – 128mm (5")
- Smoke Control Area Approved\*
- Gas and Electric versions also available, see pages 32 - 33 and 48 - 49

† Multi-fuel version

\* Multi-fuel version, when fitted with Smoke Control Kit and used in accordance with operating instructions

				
Exmoor 	✓	✓	×	4.9kW

### Available Colour Options



Blue

Brown

Black

Green





**Exe** - ultimate versatility with optional boiler

# Exe

## Wood and Multi-fuel Stoves



Compact yet versatile, the Exe offers you an extensive choice of styling options as well as an optional boiler that can provide domestic hot water. It features Yeoman's Clean Burn system too, so you will enjoy improved


fuel efficiency and a greater control of combustion. Furthermore, being a nominal 4.9kW output, no air vent is needed when the Exe is installed.



- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood: 78%, Smokeless fuels: 85%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners‡
- Removable Tudor Rose door crosses\*
- Optional boiler – for domestic hot water or supplementary central heating
- Top or rear flue – 153mm (6")
- Choice of extras – including spark guard\* and butterfly spindle flue damper
- Smoke Control Area Approved\*\*
- Double-Sided and Gas versions also available, see pages 30 - 31 & 34 - 35

					
Exe 	✓	✓	×	4.9kW	1.6kW 8500BTU

### Available Colour Options



Blue Brown Black Green



† Multi-fuel version

\* Double door only

‡ Single door only

\*\* Multi-fuel version, when fitted with Smoke Control Kit and used in accordance with operating instructions



**Devon** - at home in both traditional and modern settings

# Devon

## Wood and Multi-fuel Stoves





The Devon is a highly popular, medium sized stove which can be tailored to look equally at home in the fireplace of a modern house or the inglenook of a country cottage.


It also offers an impressive heat output of up to 9kW whether burning logs, anthracite or smokeless fuels.



- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood: 81%, Smokeless fuels: 78%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners◇
- Removable Tudor Rose door crosses\*
- Optional boiler – for domestic hot water
- Top or rear flue – 153mm (6")
- Choice of extras – including spark guard\* and butterfly spindle flue damper
- Smoke Control Area Approved\*\*
- Double-Sided and Gas versions also available, see pages 30 - 31 & 38 - 39
- High output boiler version, pages 24 - 25

					
Devon	✓	✓	✓	9.0kW	3.5kW 12000BTU

### Available Colour Options



Blue Brown Black Green



† Multi-fuel version

\* Double door only

◇ Single door only

\*\* Multi-fuel version, when fitted with Smoke Control Kit and used in accordance with operating instructions

# County

## Wood and Multi-fuel Stoves



Largest of our traditional stoves, the County has the proportions to grace any inglenook and the performance to provide a magnificent focal point in larger rooms and open living spaces. The vast firebox is designed to accept


logs up to 460mm (18”) long, so that you do not need to load fuel so often. It also has the potential to produce considerable heat output.




Please also see image on page 4

- Woodburning and multi-fuel models
- Static multi-fuel grate<sup>†</sup>
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood 78%: Smokeless fuels: 84%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners<sup>◇</sup>
- Removable Tudor Rose door crosses<sup>\*</sup>
- Optional boiler – for domestic hot water
- Top or rear flue – 153mm (6”)
- Optional butterfly spindle flue damper
- Large combustion chamber for logs up to 460mm (18”) in length
- Double-Sided and integral high output boiler versions available, see pages 24 - 27 & 30 - 31

<sup>†</sup> Multi-fuel version  
<sup>\*</sup> Double door only  
<sup>◇</sup> Single door only

					
County	✓	✓	✓	13.0kW	7.0kW 24000BTU

### Available Colour Options





County - our largest stove with an impressive heat output

# CL3

## Multi-fuel Stove



Designed to be equally at home in either a traditional setting or today's more modern interiors, Yeoman's woodburning and multi-fuel CL range of stoves are an eye-catching focal point. Furthermore, the CL range offers the very latest in heating technology creating high

efficiency and trend setting aesthetics. The smallest in the series, the CL3, makes a big impression despite its compact proportions. To complement the gentle curves of the stove front, there is a decorative cast top plate available for each of the CL stoves as an optional extra.



- Multi-fuel model
- External riddling
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 86%)
- Smoke Control Area Approved\*
- Yeoman Airwash System – to give a clearer view of the flames
- Optional decorative cast top plates
- Top or rear flue – 128mm (5")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control
- Gas version also available, see pages 44 - 45

		
CL3		✓ 3.75kW



Jet Black  
Metallic



\* When fitted with Smoke Control Kit and used in accordance with operating instructions

Registered Design: Community Design  
Application Number: 001202600



CL3 - small stove, big impression



**CL5** - high efficiency heating and 'modern traditional' styling

# CL5

## Wood and Multi-fuel Stove



With high efficiency and 'modern traditional' styling, the CL5 offers a fresh alternative for heating in today's homes. Along with the smaller CL3, the CL5 is approved for use in Smoke Control zones, so you can achieve carbon neutral heating with wood wherever your location! It is available in two versions: woodburning

only or multi-fuel which incorporates a riddling grate to allow the burning of smokeless fuels. In addition, both versions can be enhanced by the optional decorative cast top which provides even greater elegance with its subtle, curved form.



Please also see image on back cover

			(kW)
CL5		✓	4.9kW



Jet Black  
Metallic



- Woodburning and Multi-fuel models
- External riddling†
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 85%)
- Yeoman Airwash System – to give a clearer view of the flames
- Smoke Control Area Approved\*
- Optional decorative cast top plates
- Top or rear flue – 128mm (5")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control
- Gas version also available, see pages 46 - 47

† Multi-fuel version

\* When fitted with Smoke Control Kit and used in accordance with operating instructions

Registered Design: Community Design  
Application Number: 001202600

# CL8

## Wood and Multi-fuel Stove



The largest of the CL range, the CL8 is designed to provide high efficiency heating as well as creating an outstanding focal point for your living space. Choose from either the woodburning only model or the multi-

fuel version, the latter incorporating a riddling grate to allow you to burn smokeless fuels. An optional decorative cast top is also available to further enhance it's already impressive visual impact.




- Woodburning and Multi-fuel models
- External riddling†
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 81%)
- Yeoman Airwash System – to give a clearer view of the flames
- Optional decorative cast top plates
- Top or rear flue – 153mm (6")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control
- High output boiler version, pages 28 - 29

† Multi-fuel version

Please also see image on page 2

Registered Design: Community Design  
Application Number: 001202600

		
CL8	✓	8kW



Jet Black  
Metallic





**CL8** - outstanding focal point for your living space

# CL7 Inset

## Multi-fuel Inset Fire



The CL7 inset is the first contemporary inset fire in the Yeoman range and expands the opportunities to incorporate the highly desirable decorative styling of the CL range into a larger variety of homes and interiors.

Convenient and highly efficient, the cutting edge Airwash System keeps the window clear so that you can always enjoy the atmospheric flicker of the CL7 inset's superb flame picture.



- Multi-fuel
- External riddling
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 87%)
- Yeoman Airwash System – to give a clearer view of the flames
- Smoke Control Area Approved\*
- Top flue exit only– 128mm (5")
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control
- High output boiler version, pages 24 & 29

		
CL7 Inset	✓	7kW

\* When fitted with Smoke Control Kit and used in accordance with operating instructions

Registered Design: Community Design  
Application Number: 001202600



Jet Black  
Metallic





**CL7 Inset** - modern style and space saving


# CL Milner

## Multi-fuel Inset Fire



The CL Milner has been designed with high performance and ease of installation in mind. The CL Milner has the ability to be installed into a 16” - 18” wide and 20” - 22” high fireplace without the need to remove the Milner Brick; meaning that it can be easily secured and sealed

into an existing chimney without the requirement for any building work making it cheaper to install. There is also no need for a flue liner, therefore if your chimney is in good condition and has been swept it can generally be fitted in under an hour!



Registered Design: Community Design  
Application Number: 001202600

### CL Milner Design Features

- 1 5mm heavy duty steel construction
- 2 Easy fit
- 3 Specifically designed for 16” and 18” Milner brick openings
- 4 High performance firebox lining to enhance combustion process
- 5 Cast iron air-tight door with primary air control lever
- 6 Yeoman Airwash System – to give a clearer view of the flames
- 7 Clean Burn – the secondary air system provides greater fuel efficiency (up to 76%)
- 8 Stainless steel handle with self locking function
- 9 Contemporary screen printed ceramic glass
- 10 Top flue exit only – 152mm (6”)
- 11 Adjustable secondary air control
- 12 Smoke Control Area Approved\* (not illustrated)

\* When fitted with Smoke Control Kit and used in accordance with operating instructions

		
CL Milner		5kW



Jet Black  
Metallic





CL Milner – quick and hassle-free installation

# High-Output Boilers

## Multi-fuel Boiler Stoves

Five models within the range have been specifically designed to supply your domestic hot water and central heating requirements or augment your existing heating system via 'link up' technology. Whichever your choice, you will enjoy all the atmosphere of a real fire and exceptional heating performance for other areas of your home.

When providing hot water and central heating, each stove is capable of feeding an average 8000BTU hotwater cylinder and from 8 up to 19 radiators. The exact number of radiators will depend upon how many rooms you wish to heat and sizes of those rooms. Radiators also come in a variety of sizes/capacities but, for example, a typical 400mm high x 1000mm wide, single panel radiator requires 2500BTU/hr. You should always consult a qualified heating engineer to ensure the stove can meet your requirements.

Alternatively, you can 'link up' a Yeoman High-Output Boiler with your existing or proposed heating system to reduce your reliance on gas or oil and help decrease overall heating fuel costs. There are ways to link with conventional oil or gas central heating, gas or oil sealed heating systems, combi boilers, underfloor heating and even solar panels to provide flexible and cost-effective solutions. Yeoman produces a 'link up' guide showing typical arrangements and covering some frequently



asked questions. You may find it useful to download this from [www.yeoman-stoves.co.uk/linkup](http://www.yeoman-stoves.co.uk/linkup) before discussing your requirements with a qualified heating engineer.

All Yeoman High-Output Boiler stoves are designed for multi-fuel use and incorporate an externally operated riddling grate. This is because solid mineral fuels tend to provide greater calorific values. Should you wish to reduce your CO<sub>2</sub> emissions then you can also burn a combination of smokeless fuels and logs together. However, if Woodburning only is your preference, you can still achieve good performance but, as logs burn best with slightly different firebox characteristics, we recommend you purchase the optional log tray which replaces the riddling system.

				
Devon 50HB	✓	13.0kW	10.0kW 34,000BTU	9 <sup>Δ</sup>
County 60HB	✓	18.0kW	13.0kW 45,000BTU	15 <sup>Δ</sup>
County 80HB	✓	21.0kW	18.0kW 62,000BTU	19 <sup>Δ</sup>
CL8HB	✓	13.0kW	10.0kW 34,000BTU	9 <sup>Δ</sup>
CL7NHB	✓	11.0kW	8.8kW 30,000BTU	8 <sup>Δ</sup>

### Devon and County Colour Options



Blue Brown Green Black

### CL7NHB and CL8HB Colour



Jet Black  
Metallic



<sup>Δ</sup> Includes 8000 BTU allowance for hot water cylinder.


\* Please see comments on radiator capabilities above and on page 26 and 29, as these are a guide only.



## Devon 50HB

### Devon and County Boiler Design Features

- 1 5mm and 10mm heavy duty steel body.
- 2 Excellent heat output to water when burning solid fuels or wood.
- 3 4 x 1" BSP boiler tappings for flexible efficient connection to your hot water circuits.
- 4 Extensive water jacket on 4 sides of stove to ensure maximum transmission of heat to water.
- 5 Highly developed boiler flue baffle system to ensure maximum heating efficiency.
- 6 Top or rear flue exit.
- 7 Specially designed reciprocating grate ensures effective removal of ash from the fuel bed.
- 8 Large ash collection tray.
- 9 Discreet external riddling socket, with removable tool.
- 10 Levelling system in each foot to ensure complete stability on uneven surfaces.
- 11 Primary air controls to manually adjust the running temperatures.
- 12 Airwash helps to keep the glass clear and to control the running temperature when burning wood.
- 13 Removable Tudor Rose door crosses.
- 14 Optional Thermostatic control to maintain desired running temperatures.\*
- 15 Optional woodburning tray (not illustrated).



\* From 1st July 2013 it will become a mandatory requirement to have a Thermostat fitted to all boiler stoves. Therefore from this date all Yeoman Boiler stoves will come supplied with a Thermostat as standard.

# High-Output Boilers

## Devon and County Multi-fuel Boiler Stoves



Key Facts:	Devon 50HB	County 60HB	County 80HB
Multi-fuel with external riddling	✓	✓	✓
Airwash	✓	✓	✓
Nominal heat output to room	4.9kW	7.0kW	7.0kW
Nominal heat output to boiler	8.2kW	11.0kW	15.0kW
Maximum system rating	10kW (34,000BTU)	13kW (45,000BTU)	18kW (62,000BTU)
Radiator capabilities – example No. of 2500BTU radiators + 8000BTU cylinders*	9 radiators	15 radiators	19 radiators
Maximum log length	15 <sup>3</sup> / <sub>4</sub> " (400mm)	19 <sup>1</sup> / <sub>2</sub> " (500mm)	23 <sup>1</sup> / <sub>2</sub> " (600mm)
Optional log tray	✓	✓	✓
Flue outlet	6" top or rear	6" top or rear	6" top or rear
Choice of four colours	✓	✓	✓
Optional thermostat†	✓	✓	✓

\* Please note that radiator capabilities are a guide only. We strongly recommend you have a site survey and advice from an appropriately qualified heating engineer before ordering.

† From 1st July 2013 it will become a mandatory requirement to have a Thermostat fitted to all boiler stoves. Therefore from this date all Yeoman Boiler stoves will come supplied with a Thermostat as standard.



County 80HB – exceptional output for whole house heating



**CL8HB** - complete home heating with cutting edge style!

# High-Output Boilers


## CL Multi-fuel Boiler Stoves



### CL Boiler Design Features

- 1 5mm and 8mm heavy duty steel body.
- 2 Excellent heat output to water when burning solid fuels or wood.
- 3 4 x 1" BSP boiler tappings for flexible efficient connection to your hot water circuits.
- 4 Extensive water jacket on 4 sides of stove to ensure maximum transmission of heat to water.
- 5 Highly developed boiler flue baffle system to ensure maximum heating efficiency.
- 6 Top or rear flue exit (CL8HB), Top flue exit (CL7NHB).
- 7 Specially designed reciprocating grate ensures effective removal of ash from the fuel bed.
- 8 Large ash collection tray.
- 9 Discreet external riddling socket, with removable tool.
- 10 Levelling system to ensure complete stability on uneven surfaces (CL8HB).
- 11 Primary air controls to manually adjust the running temperatures.
- 12 Airwash helps to keep the glass clear and to control the running temperature when burning wood.
- 13 Optional cast iron top plates in top & rear flue (CL8HB).

- 14 Optional Thermostatic control to maintain desired running temperatures.<sup>†</sup>
- 15 Optional woodburning tray (not illustrated).
- 16 Stainless steel door handle, with self-locking function (not illustrated).



Registered Design: Community Design  
Application Number: 001202600

### Key Facts:

	CL7NHB	CL8HB
Multi-fuel with external riddling	✓	✓
Airwash	✓	✓
Nominal heat output to room	4.0kW	4.9kW
Nominal heat output to boiler	7.4kW	8.2kW
Maximum system rating	8.8kW (30,000BTU)	10kW (34,000BTU)
Radiator capabilities – example No. of 2500BTU radiators + 8000BTU cylinders*	8 radiators	9 radiators
Maximum log length	12 <sup>3</sup> / <sub>4</sub> " (325mm)	15 <sup>3</sup> / <sub>4</sub> " (400mm)
Optional log tray	✓	✓
Flue outlet	5" top	6" top or rear
Optional thermostat <sup>†</sup>	✓	✓
Optional decorative cast top plate (top & rear flue versions)	×	✓

\* Please note that radiator capabilities are a guide only. We strongly recommend you have a site survey and advice from an appropriately qualified heating engineer before ordering.

<sup>†</sup> From 1st July 2013 it will become a mandatory requirement to have a Thermostat fitted to all boiler stoves. Therefore from this date all Yeoman Boiler stoves will come supplied with a Thermostat as standard.



## Exe Double-Sided – the warming heart of your home

# Double-Sided

## Wood, Multi-fuel and Gas Stoves

There can be few sights as inviting or reassuringly evocative, especially on a cold winter's night, as the roaring fire of a Yeoman double-sided stove turning two rooms into the warming heart of your home. With a Yeoman Double you enjoy twice the stove. Doors front and back are designed to open into adjoining rooms with one central chimney. You can choose from Exe, Devon and County models and from single or double

depth versions. Each model also has a number of styling options to complement your decor. In addition to the wood/multi-fuel stoves, the Devon double, single depth is available with the convenience of a highly realistic, gas log effect fire. Opt for the remote control and you can even adjust the flames and heat from the comfort of your favourite armchair or sofa.



### Solid Fuel

- Top flue - 152mm (6")
- Suitable for burning wood or multi-fuel<sup>#</sup>
- Yeoman Airwash System – to give a clearer view of the flames
- Optional butterfly spindle flue damper
- Optional spark guards\*
- Tudor rose or plain air spinners<sup>◇</sup>
- Single or double depth versions (depending on model)

### Gas

- Conventional top flue - 128mm (5")
- Superb log effect fire
- Variable heat output
- Optional remote control
- Natural gas or LPG



Left: Standard  
Right: Programmable

### All versions

- Removable Tudor Rose door crosses\*
- Optional brass handles
- Single or double door options (depending on model)




\* Double door - Devon & Exe only. County has crosses, but no spark guard  
<sup>◇</sup> Single door only  
<sup>#</sup> With the use of a static multi-fuel kit (except County Double Depth which is woodburning only)

### Available Colour Options



Blue Brown Black Green



	Depth	Doors				(kW)	Gas Type	Nominal Gas Input	Supply Pressure
Exe	Double	1 or 2	✓	×	×	11.0kW	n/a	n/a	n/a
Devon	Single	1 or 2	✓	✓	×	9.0kW	n/a	n/a	n/a
Devon	Single	2	×	×	✓	9.0kW	n/a	n/a	n/a
Devon	Double	1 or 2	✓	✓	×	13.0kW	n/a	n/a	n/a
Devon	Double	2	×	×	✓	13.0kW	n/a	n/a	n/a
County	Single	2	✓	✓	✓	15.0kW	n/a	n/a	n/a
County	Double	2	✓	✓	✓	22.0kW	n/a	n/a	n/a
Devon Gas CF	Single	1 or 2	×	×	✓	5.0kW**	NG	6.9kW	20mb
Devon Gas CF	Single	1 or 2	×	×	✓	5.0kW**	LPG	6.9kW	37mb

\*\* Output for guidance only and is dependent on gas type and flue variation

# Exmoor

## Gas Stoves










This popular model combines traditional charm with modern technology to bring you a gas stove that can be installed into almost any room - even one that does not have a chimney. Further, its highly realistic fire provides up to 2.6kW

of adjustable heat, whether you opt for manual or remote controls, so it's ideal to take the chill away from those long winter days and nights.



- Conventional and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.5 – 2.6kW
- Up to 81% efficient
- Optional brass handle
- Top or rear flue (conventional class 1 or 2) - 128mm (5") Rear flue only (balanced) - 153mm (6")
- Natural gas or LPG
- Wood, Multi-fuel and Electric versions also available, see pages 6 - 7 and 48 - 49

				Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Exmoor Gas CF 	✓	✓	2.6kW*	NG	3.40kW	20mb	Log
Exmoor Gas CF 	✓	✓	2.4kW*	LPG	3.20kW	37mb	Log
Exmoor Gas BF (Rear flue only) 	✓	✓	2.6kW*	NG	3.20kW	20mb	Log
Exmoor Gas BF (Rear flue only) 	✓	✓	2.6kW*	LPG	3.20kW	37mb	Log


\* Output for guidance only and is dependent on gas type and flue variation

### Remote Control Options



Left: Standard  
Right: Programmable

### Available Colour Options



Blue Brown Black Green



Exmoor Gas - a small stove with big appeal

# Exe

## Gas Stoves










With highly realistic log fire effect and glowing embers, the medium sized Exe will become an inviting centrepiece in your living room. Traditionally styled but with the versatility to feature in the most contemporary of

homes, the single door Exe combines time honoured design and craftsmanship with ultra-modern heating convenience and efficiency.



- Conventional and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.9 – 3.5kW
- Up to 81% efficient
- Optional brass handle
- Low canopy version available
- Natural gas or LPG
- Top or rear flue (conventional class 1 or 2) - 128mm (5") (balanced) - 153mm (6")
- Woodburning and Multi-fuel versions also available, see pages 8 - 9

					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Exe Gas CF		✓	✓	3.4kW*	NG	4.55kW	20mb	Log
Exe Gas CF		✓	✓	3.4kW*	LPG	4.55kW	37mb	Log
Exe Gas BF		✓	✓	3.5kW*	NG	4.3kW	20mb	Log
Exe Gas BF		✓	✓	3.5kW*	LPG	4.3kW	37mb	Log

\* Output for guidance only and is dependent on gas type and flue variation

### Remote Control Options



Left: Standard  
Right: Programmable

### Available Colour Options



Blue Brown Black Green





Exe Gas - Compact and versatile

# Exminster

## Gas Stoves



With a comprehensive choice of styling options the Exminster Gas makes an impressive focal point in any type of room from a traditional cottage to a newly-built, contemporary home.

It also comes with a choice of highly realistic log or coal-effect fires and the option of manual or remote controls.









- Conventional flue
- Realistic coal and log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.5 – 4.5kW
- 73% efficient
- Flat top, low & high canopy options
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses\*\*
- Optional plain air spinners<sup>Δ</sup>
- Top or rear flue (class 1 or class 2) - 128mm (5")
- Natural gas or LPG

\*\* Double door only    Δ Single door only

### Remote Control Options



Left: Standard  
Right: Programmable

					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Exminster Gas CF 	✓	✓	✓	4.5kW*	NG	6.1kW	20mb	Coal or Log
Exminster Gas CF 	✓	✓	✓	4.2kW*	LPG	5.7kW	37mb	Coal or Log

\* Output for guidance only and is dependent on gas type and flue variation

### Available Colour Options



Blue

Brown

Black

Green



Exminster Gas - convenient and efficient



Devon Gas - superb heating performance

# Devon

## Gas Stoves



Offering you superb heating performance and an authentic real fire look, with glowing coals and dancing flames, the Devon comes with the optional convenience

of a remote control. It has a balanced flue operation too, so there is not even a need for a chimney.



- Balanced flue
- Realistic coal effect
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.5 – 5.6kW
- 80% efficient
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses\*\*
- Optional plain air spinners<sup>◇</sup>
- Top or rear flue - 153mm (6")
- Natural gas or LPG
- Wood, Multi-fuel and Double-Sided versions also available, see pages 10 -11 and 30 - 31

\*\* Double door only   ◇ Single door only

### Remote Control Options



Left: Standard  
Right: Programmable

### Available Colour Options



Blue   Brown   Black   Green



					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Devon Gas BF	✓	×	✓	5.6kW*	NG	7.0kW	20mb	Coal
Devon Gas BF	✓	×	✓	4.8kW*	LPG	6.0kW	37mb	Coal

\* Output for guidance only and is dependent on gas type and flue variation

# Dartmoor

## Gas Stoves











Yeoman’s Dartmoor gas stove not only offers you even more choice but also features a highly realistic log effect. Just as importantly, it is a highly efficient room heater with up to 5.3kW of comfort available at the turn of a

switch. Furthermore, the Dartmoor is available in both conventional flue and balanced flue versions with a wide choice of styling options to help you tailor it to your exact requirements, including the option of a high canopy.



- Conventional and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 2.5 – 5.3kW
- Up to 82% efficient
- Single or double doors
- Optional brass handle<sup>o</sup>
- Removable Tudor Rose door crosses<sup>\*\*</sup>
- Top or rear flue - conventional flue class 1 or 2 128mm (5”); balanced flue 153mm (6”) (top exit requires decorative flue collar)
- Natural gas or LPG
- Electric version also available, see page 50 - 51

<sup>\*\*</sup> Double door only    <sup>o</sup> Single door only

					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Dartmoor Gas CF 	✓	×	✓	5.3kW*	NG	6.60kW	20mb	Log
Dartmoor Gas CF 	✓	×	✓	5.1kW*	LPG	6.40kW	37mb	Log
Dartmoor Gas BF 	✓	×	✓	5.3kW*	NG	6.45kW	20mb	Log
Dartmoor Gas BF 	✓	×	✓	4.9kW*	LPG	6.00kW	37mb	Log


\* Output for guidance only and is dependent on gas type and flue variation

### Remote Control Options



Left: Standard  
Right: Programmable

### Available Colour Options





Dartmoor Gas - outstanding log effect for increased realism

# Dartmouth Inset







## Gas Fires

Offering the familiar ‘family look’ of Yeoman stoves and the latest high-efficiency heating, the Dartmouth is an inset convector gas fire that very much blends traditional appeal with modern convenience. At its heart is the latest high efficiency gas combustion system that has

been specially developed by our sister company Gazco to combine the exceptional heat output with much improved fuel economy (gas consumption is lower so saving you money). In fact, the balanced flue version is an outstanding 86% efficient.



- Manual control
- Conventional and balanced flue options
- Realistic coal effect fire
- Convected and radiant heat to quickly warm your room
- Variable heat output 1.8 - 3.9kW
- Up to 86% efficient
- Flue - conventional flue class 1 or 2 128mm (5"); balanced flue 153mm (6")
- Natural gas or LPG

				Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Dartmouth Inset Gas CF		✓	3.9kW*	NG	5.1kW	20mb	Coal
Dartmouth Inset Gas CF		✓	3.6kW*	LPG	4.8kW	37mb	Coal
Dartmouth Inset Gas BF		✓	3.4kW*	NG	4.0kW	20mb	Coal
Dartmouth Inset Gas BF		✓	3.4kW*	LPG	4.0kW	37mb	Coal

\* Output for guidance only and is dependent on gas type and flue variation



Black



Dartmouth Inset Gas - with high efficiency technology



**CL3 Gas** - highly realistic log effect

# CL3

## Gas Stoves



The CL3 is the smallest of the contemporary gas stoves from Yeoman. Despite its compact dimensions, underneath the smooth, modern lines of the CL3 lies a powerful, high efficiency stove with a highly realistic log effect fuel bed and a choice of a standard or state

of the art thermostatic remote control system. Fully programmable, the thermostatic remote allows the CL3 to be set to automatically switch on or off and change temperature according to your exact requirements.









- Conventional and balanced flue options
- Realistic log effect
- Radiant heat to quickly warm up your room
- Remote control options
- Variable heat output 1.5 - 2.7kW
- Up to 80% efficient
- Integral raised plinth and curved top plate
- Top or rear flue (conventional) - 127mm (5")  
Rear flue only (balanced) - 153mm (6")
- Natural gas or LPG
- Multi-fuel version also available see pages 14 - 15

### Remote Control Options



Left: Standard  
Right: Thermostatic

			Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect	
CL3 Gas CF		✓	2.7kW*	NG	3.4kW	20mb	Log
CL3 Gas CF		✓	2.5kW*	LPG	3.2kW	37mb	Log
CL3 Gas BF (Rear Flue only)		✓	2.6kW*	NG	3.2kW	20mb	Log
CL3 Gas BF (Rear Flue only)		✓	2.6kW*	LPG	3.2kW	37mb	Log

\* Output for guidance only and is dependent on gas type and flue variation



Jet Black  
Metallic



# CL5

## Gas Stoves



The larger of the two contemporary CL gas stoves from Yeoman, the CL5 has a highly realistic log effect fuel bed and superb flame picture to create the same inviting warmth as a woodburning stove, but with all the convenient features of gas. All of this is controlled by a choice of either a standard or thermostatic remote

control. The thermostatic remote allows you to provide your home with the perfect amount of heat, exactly when you want it to. With a subtle curving door and complementary curved top plate, a CL gas stove can offer a stylish centrepiece for homes both modern and traditional alike.



- Conventional and balanced flue options
- Realistic log effect
- Radiant heat to quickly warm up your room
- Remote control options
- Variable heat output 1.9 - 3.5kW
- Up to 80% efficient
- Integral raised plinth and curved top plate
- Top or rear flue (balanced) - 153mm (6") (conventional) - 127mm (5")
- Natural gas or LPG
- Wood and multi-fuel versions also available see pages 16 - 17

### Remote Control Options









Left: Standard  
Right: Thermostatic



Jet Black  
Metallic



				Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
CL5 Gas CF		✓	3.5kW*	NG	4.55kW	20mb	Log
CL5 Gas CF		✓	3.4kW*	LPG	4.35kW	37mb	Log
CL5 Gas BF		✓	3.4kW*	NG	4.30kW	20mb	Log
CL5 Gas BF		✓	3.4kW*	LPG	4.30kW	37mb	Log

\* Output for guidance only and is dependent on gas type and flue variation



CL5 Gas - with high efficiency technology



Exmoor Electric - complete operation by remote control

# Exmoor

## Electric Stove



Available in traditional Matt Black, the ever popular Exmoor stove perfectly combines the classic good looks of a woodburner with the ease of an Electric stove. At its heart is the unique VeriFlame™ technology which allows you to choose from 3 brightness levels and blue

or orange flame setting to match your mood exactly – and everything is operated from the remote control to save you bending over! Furthermore, you can select fire effect only; fire effect + 1kW heat; and fire effect + 2kW heat according to your heating needs.



- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- Remote control as standard
- Optional brass handle
- Matt Black
- 13 amp socket needed
- Variable heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Wood, multi-fuel and gas versions also available, see pages 6 - 7 and 32 - 33



Remote control supplied

		
Exmoor Electric 	✓	2.0kW



Matt Black



# Dartmoor

## Electric Stove



Using the same cast iron door and heavy gauge steel body as the Gas Dartmoor's, the electric versions are brought alive with VeriFlame™ technology. This means you will enjoy a choice of flame and glow effects from a remarkably authentic log-effect fire that creates a superb focal point in your room. All this and a choice of single or double doors to suit your exact styling requirements!

The heater is discreetly located under the stove but, as all functions can be operated from the complementary remote control; there is no stooping or crouching. In fact you can alter the VeriFlame™ effect or adjust the heat output whilst relaxing in your favourite chair!



- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- Remote control as standard
- Matt Black
- Single or double doors
- Removable Tudor rose door crosses\*\*
- Optional brass handle◊
- 13 amp socket needed
- Variable heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Gas version also available, see page 40 - 41

\*\* Double door only  
◊ Single door only

			
Dartmoor Electric		✓	2.0kW



Remote control  
supplied



Matt Black



Dartmoor Electric – authentic log effect for ultimate realism

# Accessories & Flue Pipe

## Fireplace, Stove & Hearth Accessories



Yeoman is a member of the Stovax Group which manufactures and distributes many other high quality fireplace, stove care and accessory products, as well as solid fuel, gas and electric fires and stoves along with traditional range cookers. To maximise the enjoyment from your woodburning or multi-fuel stove, please ask your Yeoman retailer for a Stovax accessories brochure or view the complete range online at [www.stovax.com](http://www.stovax.com).



## Professional XQ™ Chimney Systems



The Stovax Group also offer a comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within. With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind. For further information, please speak to your retailer or visit [www.stovax.com/chimneysystems](http://www.stovax.com/chimneysystems).



## Balanced Flue Systems



Yeoman's sister company, Gazco, have specifically developed a range of flue system components to complement your balanced flue Yeoman gas stove. Crafted from 304 grade stainless steel and aluminium with some items additionally offered in anthracite paint finish. Designed with ease of installation and flexibility in mind, these flue systems simply push together without the requirement for locking bands or screws. Both the inner and outer pipes are secured with easy fit, self locking, high temperature silicone seals. For further information, please speak to your retailer or visit [www.gazco.com](http://www.gazco.com).

# Technical Information

## Product Improvement, Safety Information and Guarantee

Yeoman pursue a policy of constant product improvement. Products supplied may therefore differ in specification from those illustrated or described in this brochure, and you should always check the final specification with your Yeoman retailer. Your Yeoman Expert Retailer will provide you with a Five Year Extended Warranty for your new gas or solid fuel stove and a Two Year Extended Warranty for your new electric stove. Please note, these warranties exclude certain consumable parts and are dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Stoves purchased outside of Yeoman's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at [www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk).

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide monitor (such as product code 3045 available from Stovax).

## Balanced Flue Gas Stove System


The Yeoman Balanced Flue system means having no chimney is not a problem if you opt for either an Exmoor, Exe, Devon, Dartmoor, Dartmouth Inset or CL gas stove, as it draws combustion air from outside through its concentric pipe system. A full range of optional flue components is available to suit the configurations shown below.

Please note that these are diagrammatic representations only and vary according to model. Full installation information can be downloaded from [www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk).

## Installing Your Yeoman Stove

A HETAS, GasSafe Register or Bord Gais approved installer should undertake a site survey prior to purchase and must install your Yeoman Stove for you. Your Yeoman retailer will be able to offer advice on this. You may also view or download installation instructions at our website – [www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk).

The following diagrams cover some of the basic requirements. All fires and stoves consume air as they burn. To comply with Building Regulations (Document J), therefore, if you are purchasing a stove with a maximum heat output in excess of 5.0kW, you will need to install a fixed air vent to ensure adequate ventilation. Outputs below this will not normally require a vent.




## CL WOOD & MULTI-FUEL STOVES

### CL3, CL5 AND CL8 - Woodburning & Multi-fuel stoves

YM-CL3MF	CL3, Multi-fuel
YM-CL5W	CL5, Wood
YM-CL5MF	CL5, Multi-fuel
YM-CL8W	CL8, Wood
YM-CL8MF	CL8, Multi-fuel

#### Options

YM-CL3CT	Cast iron top for CL3, top flue exit
YM-CL3CTR	Cast iron top for CL3, rear flue exit
YM-CL5CT	Cast iron top for CL5, top flue exit
YM-CL5CTR	Cast iron top for CL5, rear flue exit
YM-CL8CT	Cast iron top for CL8, top flue exit
YM-CL8CTR	Cast iron top for CL8, rear flue exit
YM-CL3SCKIT	Smoke Control Kit for CL3 Multi-fuel
YM-CL5SCKIT	Smoke Control Kit for CL5 Woodburning
YM-CL5MF5SCKIT	Smoke Control Kit for CL5 Multi-fuel




	A	B	C	D	E	F	G	J	K	Weight
CL 3	360	510	306	93	416	128	400	240	195	76kg
CL 5	435	518	303	90	424	128	408	315	199	120kg
CL 8	563	572	363	105	478	153	449	441	225	140kg

### CL7 INSET - Multi-fuel fire

All above dimensions provide in millimeters.

YM-CL7NMF	CL7 Inset, Multi-fuel
Option	
YM-CL7SCKIT	Smoke Control Kit for CL7 Inset Multi-fuel

Approx. Weight: 125Kg




# Technical Information

## CL WOOD & MULTI-FUEL STOVES (CONTINUED)

### CL MILNER INSET - Multi-fuel fire

YM-CLMB	CL Milner, Multi-fuel
Option	
YM-CL7/SCKIT	Smoke Control Kit for CL Milner Multi-fuel




Approx. Weight: 90Kg

## HIGH OUTPUT BOILER STOVES

### CL8HB - High output boiler stove


Stoves	
YM-CL8HB	CL8HB Multi-fuel, Flat top, Single door
Options	
STATSL	Thermostat - CL8HB
7113WT	Woodburning Tray - CL8HB
YM-CL8CT	Decorative cast top plate - CL8HB top flue
YM-CL8CTR	Decorative cast top plate - CL8HB rear flue



Approx. Weight: 140Kg

### CL7NHB- High output inset boiler fire


Stoves	
YM-CL7NHB	CL7NHB Inset, Multi-fuel, Flat top, Single door
Options	
STATIN	Thermostat - CL7NHB Inset
7125WT	Woodburning Tray - CL7NHB Inset



Approx. Weight: 137Kg

### DEVON 50HB, COUNTY 60HB & COUNTY 80HB - High output boiler stoves

Stoves	
YM-W9202HB	Devon 50HB, Multi-fuel, Flat top, Double door
YM-W9302HB	County 60HB, Multi-fuel, Flat top, Double door
YM-W9902HB	County 80HB, Multi-fuel, Flat top, Double door
Options	
STATST	Thermostat - suits Devon & County
YM-A50BWT	Woodburning tray - 50HB
YM-A60BWT	Woodburning tray - 60HB
YM-A80BWT	Woodburning Tray - 80HB
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue)* BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



	A	B	C	D	E	F	G	H	I	J	K (Ø)	Weight
Devon 50HB	590	659	389	118	469	430	120	400	241	315	153	135kg
County 60HB	632	772	446	125	507	508	126	530	246	343	153	172kg
County 80HB	691	857	508	125	566	572	138	608	258	397	153	235kg

# Technical Information

## DOUBLE-SIDED STOVES

### EXE - Double-Sided, double depth - Solid Fuel

YM-W9121FL	Woodburning, flat top, single door
YM-W9122FL	Woodburning, flat top, double doors
Options	
YM-A9140DDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

### DEVON - Double-Sided, single depth - Solid Fuel

YM-W9211FL	Woodburning, flat top, single door
YM-W9212FL	Woodburning, flat top, double doors
YM-W9211LC	Woodburning, low canopy, single door
YM-W9212LC	Woodburning, low canopy, double doors
YM-W9212HC	Woodburning, high canopy, double doors
Options	
YM-A9240SDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

### COUNTY - Double-sided, single depth - Solid Fuel

YM-W9312FL	Woodburning, flat top, double doors
YM-W9312LC	Woodburning, low canopy, double doors
YM-W9312HC	Woodburning, high canopy, double doors
Options	
YM-A9340SDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

### DEVON - Double-Sided, single depth, conventional flue - Gas - Manual or remote control

YM-G9211LGHC	Natural gas, high canopy, logs, single door
YM-G9212LGHC	Natural gas, high canopy, logs, double doors
YM-P9211LGHC	LPG, high canopy, logs, single door
YM-P9212LGHC	LPG, high canopy, logs, double doors
Options	
YM-A9904	Brass handle (each)
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code


### DEVON - Double-Sided, double depth - Solid Fuel

YM-W9221FL	Woodburning, flat top, single door
YM-W9222FL	Woodburning, flat top, double doors
YM-W9221LC	Woodburning, low canopy, single door
YM-W9222LC	Woodburning, low canopy, double doors
YM-W9222HC	Woodburning, high canopy, double doors
Options	
YM-A9240DDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

### COUNTY - Double-Sided, double depth - Solid Fuel

YM-W9322FL	Woodburning, flat top, double doors
YM-W9322LC	Woodburning, low canopy, double doors
YM-W9322HC	Woodburning, high canopy, double doors
Options	
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

	Depth	Doors	A	B	C
Exe FT	Double	1 or 2	580	620	517
Devon FT	Single	1 or 2	462	615	563
Devon LC	Single	1 or 2	462	599	733
Devon HC	Single	2	462	603	888
Devon FT	Double	1 or 2	655	641	563
Devon LC	Double	1 or 2	655	633	731
Devon HC	Double	2	655	628	888
County FT	Single	2	587	738	597
County LC	Single	2	587	768	820
County HC	Single	2	587	768	935
County FT	Double	2	875	796	597
County LC	Double	2	875	768	820
County HC	Double	2	875	768	935
Devon Gas HC	Single	1 or 2	462	607	882




# Technical Information

## TRADITIONAL WOODBURNING AND MULTI-FUEL STOVES

### EXMOOR



YM-W9001FL	Woodburning, flat top, single door
YM-W9001LC	Woodburning, low canopy, single door
YM-W9001ERFL	Multi-fuel, flat top, single door
YM-W9001ERLC	Multi-fuel, low canopy, single door
Options	
YM-A9040CE	Multi-fuel kit, external riddling
YM-A9001SCKIT	Smoke Control Kit for all Exmoor multi-fuel external riddling models
YM-A9900	Plain spinners
YM-A9903	Brass handle
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 64 - 68Kg

### EXE



YM-W9101FL	Woodburning, flat top, single door
YM-W9102FL	Woodburning, flat top, double doors
YM-W9101LC	Woodburning, low canopy, single door
YM-W9102LC	Woodburning, low canopy, double doors
YM-W9101ERFL	Multi-fuel, flat top, single door
YM-W9102ERFL	Multi-fuel, flat top, double doors
YM-W9101ERLC	Multi-fuel, low canopy, single door
YM-W9102ERLC	Multi-fuel, low canopy, double doors
Options	
YM-A9140CE	Multi-fuel kit, external riddling
YM-A9906SCKIT	Smoke Control Kit for all Exe multi-fuel external riddling models
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9130	Boiler, stainless steel- 2.5kW (8500 BTU)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 94 - 100Kg

### DEVON

YM-W9201FL	Woodburning, flat top, single door
YM-W9202FL	Woodburning, flat top, double doors
YM-W9201LC	Woodburning, low canopy, single door
YM-W9202LC	Woodburning, low canopy, double doors
YM-W9201HC	Woodburning, high canopy, single door
YM-W9202HC	Woodburning, high canopy, double doors
YM-W9201ERFL	Multi-fuel, flat top, single door
YM-W9202ERFL	Multi-fuel, flat top, double doors
YM-W9201ERLC	Multi-fuel, low canopy, single door
YM-W9202ERLC	Multi-fuel, low canopy, double doors
YM-W9201ERHC	Multi-fuel, high canopy, single door
YM-W9202ERHC	Multi-fuel, high canopy, double doors
Options	
YM-A9240CE	Multi-fuel kit, external riddling
YM-A9906SCKIT	Smoke Control Kit for all Devon multi-fuel external riddling models
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9230	Boiler-3.5kW (12,000 BTU)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 102 - 118Kg

# Technical Information


## TRADITIONAL WOODBURNING & MULTI-FUEL STOVES (CONTINUED)

### COUNTY

YM-W9301FL	Woodburning, flat top, single door
YM-W9302FL	Woodburning, flat top, double doors
YM-W9301LC	Woodburning, low canopy, single door
YM-W9302LC	Woodburning, low canopy, double doors
YM-W9301HC	Woodburning, high canopy, single door
YM-W9302HC	Woodburning, high canopy, double doors

#### Options

YM-A9340CE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9904	Brass handle (single door only)
YM-A9330	Boiler-7kW (24,000 BTU)
YM-A9901	Butterfly spindle (flue damper)
4229	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 124Kg

\*The County has rear outlets in the stove and low/high canopies.


## TRADITIONAL GAS STOVES

### DARTMOOR - Conventional flue gas, manual or remote control

YM-N5101CFLUC	Natural gas, flat top, logs, single door
YM-N5102CFLUC	Natural gas, flat top, logs, double doors
YM-P5101CFLUC	LPG, flat top, logs, single door
YM-P5102CFLUC	LPG, flat top, logs, double doors
YM-N5101CFLUCHC	Natural gas, high canopy, logs, single door
YM-N5102CFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5101CFLUCHC	LPG, high canopy, logs, single door
YM-P5102CFLUCHC	LPG, high canopy, logs, double doors

#### Options

8549	Decorative flue collar for top exit (must be purchased for top flue)
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 71 - 81Kg

### DARTMOOR - Balanced flue gas, manual or remote control

YM-N5201BFLUC	Natural gas, flat top, logs, single door
YM-P5201BFLUC	LPG, flat top, logs, single door
YM-N5201BFLUCHC	Natural gas, high canopy, logs, single door
YM-P5201BFLUCHC	LPG, high canopy, logs, single door
YM-N5202BFLUC	Natural gas, flat top, logs, double doors
YM-P5202BFLUC	LPG, flat top, logs, double doors
YM-N5202BFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5202BFLUCHC	LPG, high canopy, logs, double doors

#### Options


8548	Decorative flue collar for top exit (must be purchased for top flue)
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 71 - 81Kg

### DARTMOUTH - Inset, conventional and balanced flue - Gas - Manual control

YM-N9875	Conventional Flue. Natural gas, flat top, coals. Manual control
YM-P9875	Conventional Flue. LPG, flat top, coals. Manual control
YM-N9885	Balanced Flue. Natural gas, flat top, coals. Manual control
YM-P9885	Balanced Flue. LPG, flat top, coals. Manual control




Approx. Weight: 42 Kg

# Technical Information

## TRADITIONAL GAS STOVES (CONTINUED)

### DEVON - Balanced flue, manual or remote control


YM-G9202	Natural gas, flat top, coals, double doors*
YM-G9202HC	Natural gas, high canopy, coals, double doors*
YM-P9202	LPG, flat top, coals, double doors*
YM-P9202HC	LPG, high canopy, coals, double doors*
Options	
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code
	*Please specify top or rear flue exit



Approx. Weight: 62 - 82Kg

### EXMINSTER - Conventional flue, manual or remote control


YM-G9701FL	Natural gas, flat top, coals, single door	YM-P9701LGLC	LPG, low canopy, logs, single door
YM-G9702FL	Natural gas, flat top, coals, double doors	YM-P9702LGLC	LPG, low canopy, logs, double doors
YM-G9701LC	Natural gas, low canopy, coals, single door	YM-P9701LGHC	LPG, high canopy, logs, single door
YM-G9702LC	Natural gas, low canopy, coals, double doors	YM-P9702LGHC	LPG, high canopy, logs, double doors
YM-G9701HC	Natural gas, high canopy, coals, single door	Options	
YM-G9702HC	Natural gas, high canopy, coals, double doors	YM-A9904	Brass handle
YM-P9701FL	LPG, flat top, coals, single door	YM-A8455	Standard remote control
YM-P9702FL	LPG, flat top, coals, double doors	YM-A8456	Programmable remote control
YM-P9701LC	LPG, low canopy, coals, single door	BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code
YM-P9702LC	LPG, low canopy, coals, double doors		
YM-P9701HC	LPG, high canopy, coals, single door		
YM-P9702HC	LPG, high canopy, coals, double doors		
YM-G9701LGFL	Natural gas, flat top, logs, single door		
YM-G9702LGFL	Natural gas, flat top, logs, double doors		
YM-G9701LGLC	Natural gas, low canopy, logs, single door		
YM-G9702LGLC	Natural gas, low canopy, logs, double doors		
YM-G9701LGHC	Natural gas, high canopy, logs, single door		
YM-G9702LGHC	Natural gas, high canopy, logs, double doors		
YM-P9701LGFL	LPG, flat top, logs, single door		
YM-P9702LGFL	LPG, flat top, logs, double doors		



Approx. Weight: 42 - 60Kg

### EXE - Conventional & Balanced flue gas, manual or remote control


YM581-363	CF, Natural gas, flat top, logs, single door
YM581-282	CF, Natural gas, low canopy, logs, single door
YM581-581	CF, LPG, flat top, logs, single door
YM581-677	CF, LPG, low canopy, logs, single door
YM581-390	BF, Natural gas, flat top, logs, single door
YM581-191	BF, Natural gas, low canopy, logs, single door
YM581-637	BF, LPG, flat top, logs, single door
YM581-729	BF, LPG, low canopy, logs, single door
Options	
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, ad BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Balanced flue: rear exit only  
Approx. Weight: 61Kg

### EXMOOR - Conventional flue gas, manual or remote control

YM581-239	Natural gas, flat top, logs, single door
YM581-298	Natural gas, low canopy, logs, single door
YM581-402	LPG, flat top, logs, single door
YM581-447	LPG, low canopy, logs, single door
Options	
8549	Decorative flue collar for top exit
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, ad BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 47Kg

# Technical Information

## TRADITIONAL GAS STOVES (CONTINUED)

### EXMOOR - Balanced flue gas, manual or remote control

YM581-268	Natural gas, flat top, logs, single door
YM581-302	Natural gas, low canopy, logs, single door
YM581-424	LPG, flat top, logs, single door
YM581-550	LPG, low canopy, logs, single door
Options	
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



## CL GAS STOVES

### CL3 - Conventional and Balanced flue, with standard or thermostatic remote control

#### Standard Remote Control


YM-581-310	CF, Natural gas, logs, top exit
YM-581-182	CF, Natural gas, logs, rear exit
YM-581-414	CF, LPG, logs, top exit
YM-581-437	CF, LPG, logs, rear exit
YM-581-374	BF, Natural gas, logs, rear exit
YM-581-539	BF, LPG, logs, rear exit

#### Thermostatic Remote Control

YM-581-272	CF, Natural gas, logs, top exit
YM-581-305	CF, Natural gas, logs, rear exit
YM-581-527	CF, LPG, logs, top exit
YM-581-632	CF, LPG, logs, rear exit
YM-581-197	BF, Natural gas, logs, rear exit
YM-581-628	BF, LPG, logs, rear exit

#### Accessory

999-530	Thermostatic System Mains Adaptor
---------	-----------------------------------



### CL5 - Conventional and Balanced flue, with standard or thermostatic remote control

#### Standard Remote Control


YM-581-258	CF, Natural gas, logs, top exit
YM581-293	CF, Natural gas, logs, rear exit
YM-581-611	CF, LPG logs, top exit
YM-581-497	CF, LPG, logs, rear exit
YM-581-329	BF, Natural gas, logs, top exit
YM-581-354	BF, Natural gas, logs, rear exit
YM-581-712	BF, LPG, logs, top exit
YM-581-647	BF, LPG, logs, rear exit

#### Thermostatic Remote Control

YM-581-341	CF, Natural gas, logs, top exit
YM-581-230	CF, Natural gas, logs, rear exit
YM-581-740	CF, LPG logs, top exit
YM-581-573	CF, LPG, logs, rear exit
YM-581-396	BF, Natural gas, logs, top exit
YM-581-209	BF, Natural gas, logs, rear exit
YM-581-807	BF, LPG, logs, top exit
YM-581-850	BF, LPG, logs, rear exit

#### Accessory


999-530	Thermostatic System Mains Adaptor
---------	-----------------------------------



## TRADITIONAL ELECTRIC STOVES

### ELECTRIC STOVES

YM-E9001FL	Exmoor 1 Door - flat top
YM-E5201FL	Dartmoor 1 Door - flat top
YM-E5202FL	Dartmoor 2 Door - flat top
Options	
YM-A9904	Brass handle (single door only)





CL5 Stove



Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

**Solid Fuel Trade Sales**

Tel: 01392 474500

Fax: 01392 219932

**Other Depts Tel: 01392 474011**

e-mail: [yeoman@stovax.com](mailto:yeoman@stovax.com)

[www.yeoman-stoves.co.uk](http://www.yeoman-stoves.co.uk)

**Gas and Electric Trade Sales**

Tel: 01392 261900

Fax: 01392 444148

To visit the Yeoman website  
please scan this code with  
your mobile device.



Your local Yeoman retailer

£2.00



All fire & flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features & the way in which the appliance is operated. Please note: The operation & appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Yeoman Stoves gratefully acknowledge the assistance of the following companies with photographic settings:

Furnishings and Ornaments: - **Eclectique** - [www.eclectique.co.uk](http://www.eclectique.co.uk); **Furniture Village** - [www.furniturevillage.co.uk](http://www.furniturevillage.co.uk); **Fagins Antiques** - [www.faginsantiques.com](http://www.faginsantiques.com);  
**Laura Ashley** - [www.lauraashley.com](http://www.lauraashley.com); **Orange Tree** - [www.theorangetree.co.uk](http://www.theorangetree.co.uk); **Debenhams** - [www.debenhams.co.uk](http://www.debenhams.co.uk); **House Of Fraser** - [www.houseoffraser.co.uk](http://www.houseoffraser.co.uk);  
**The Cook Shop** - [www.justaddfood.co.uk](http://www.justaddfood.co.uk); Wood Flooring: - **Beach Bros Ltd** - [www.beachbros.co.uk](http://www.beachbros.co.uk); Stone Flooring and Wall Tiles: - **Original Style** - [www.originalstyle.com](http://www.originalstyle.com);  
Stone Mantels: - **Farmington** - [www.farmington.co.uk](http://www.farmington.co.uk); Conservatories: - **Apple Conservatories** - [www.appleconservatories.com](http://www.appleconservatories.com)

Paper sourced from sustainable forests and printed using vegetable based inks